



Media 22/24/26/28/32

Competitive scrubbing machine

with 55, 61, 66, 70, 83 cm working width



Media 22/24/26/28/32. **Suitable for maintenance cleaning of any type of surface in medium to large-sized commercial premises**

The Media range of scrubbing machines consists of five walk-behind models with automatic traction. It comes with different

working widths, from 55 up to 83 cm, and it provides the right solution to your requirements.






Media 22/24 – a single-brush scrubbing machine with low-noise levels

Media 22 and Media 24 are two models of single-brush scrubbing machines which have been designed to fulfil specific requirements. One of these is the **low-noise level**, which is the result of

an exclusive air discharge system and of the **wrap-around shape of the rear polyethylene panel**. The same material has also been used for the tanks to ensure strength and shock resistance.



Large tank capacity to minimise downtimes for filling and to increase productivity.
Easily accessible water filling inlet with anti-splash insert



Thanks to the electromagnetic clutch, brush rotation can be stopped for machine transfer while the motor is still operating



The strong squeegee assembly is fitted with effective bumper rollers and it has been designed to perfectly dry floors under any driving condition even when moving in very tight curves.
Squeegee adjustment does not require any tools and can be performed by the operator him/herself



By lifting the recovery tank, which is perfectly balanced thanks to a gas spring system, the battery compartment, the electrical and the suction system become accessible. The battery compartment has been designed to accommodate both modular batteries and battery packs up to 240 Ah



User-friendly and easy-to-read instrument panel

The main controls are grouped on the rear panel for ease of use. By means of the lever to lift the scrubbing head, the operating pressure can be adjusted according to the type of floor and of dirt to be treated






Media 26 with two disc brushes

Media 26 is a medium-large machine which is characterised by user-friendliness and low operating costs. Machine drive and brushes are operated by a powerful electric motor, which is fitted on the scrubbing head. In just one pass, the machine can scrub and dry perfectly a wide range of floors.

Thanks to the powerful suction motor, the drain system and to the isolating action of both the polyethylene tanks and the rear panel, the noise level is extremely low. Forward and reverse drives are controlled through a strong handle bar, which operates the scrubbing head as well.



Removable suction filter for proper filter cleaning



Corrosion-resistant and heavy-duty aluminium squeegee



Media 28 S. A scrubbing-sweeping machine with cylindrical brushes, ideal for department stores

Media 28 S can boast very valuable features such as user-friendliness and low operational costs. Thanks to its scrubbing head assembly with two contra-rotating cylindrical brushes that are operated by two powerful belt-driven motors, Media 28 S can perfectly scrub, sweep and dry in a single pass a wide

range of floors. Besides, this machine is electronic-free for easy service procedures and greater environment-friendliness (electromagnetic wave emissions do not interfere with the radio frequency devices that are commonly used in logistics and department stores).



Media 32 Low noise levels

MEDIA 32 is the largest model among the Comac 24 Volt walk-behind scrubbing machines. With 83 cm working width and 80 l. solution tank, it can clean any surface in medium

and large-sized commercial premises. User-friendly and extremely manoeuvrable, Media 32 can be easily operated even by non-expert operators.



The lightweight stainless-steel squeegee has been designed to follow each movement of the machine so that perfect drying can be ensured. The squeegee rubbers can come with different levels of hardness and can be used twice



MEDIA 26/28S/32 - Adjustable stainless-steel battery support fitted on the frame with water and acid discharge hose. It is a 24 V battery-powered machine which can accommodate single batteries or battery packs ensuring more than three hour runtime



The scrubbing head and the squeegee assembly can be easily lifted by simply pressing two pedals



MEDIA 26/28S/32 - The main controls are on the instrument panel, clearly visible and easy to find thanks to the universal symbols

TECHNICAL DESCRIPTION		Media 22B	Media 22E	Media 24B	Media 24E	Media 26B	Media 26E	Media 28S	Media 32B	Media 32E
Squeegee width	mm	800	800	900	900	1015	1015	1015	1115	1115
Disc brushes Ø (No.)	mm	540	540	610	610	345 (2)	345 (2)	-	430 (2)	430 (2)
Cylindrical brushes (No.)	mm	-	-	-	-	-	-	150x680 (2)	-	-
Brushes rpm	rpm	170	140	140	140	160	155	700	133	150
Brush motor	V/W	24/560	220-230/750	24/560	220-230/750	24/750	230-110/1500	24/600 (2)	24/1000	230-110/1500
Suction motor	V/W	24/350	220-230/550	24/350	220-230/550	24/350	230-110/550	24/350	24/350	230-110/550
Traction motor	V/W	-	-	-	-	24/450	230-110/370	24/450	24/450	230-110/370
Suction vacuum	mbar	130	150	130	150	130	150	130	130	150
Mains cable length	m	-	20	-	20	-	20	-	-	20
Forward speed	km/h	0+3,5	0+3,5	0+3,5	0+3,5	0+3,5	0+3,5	0+3,5	0+3,5	0+3,5
Max gradient at full load	%	10%	10%	10%	10%	10%	10%	10%	10%	10%
Batteries	V/Ah	24/240	-	24/240	-	24/240	-	24/240	24/240	-
Batteries weight	kg	196	-	196	-	196	-	196	196	-
Debris hopper capacity	l	-	-	-	-	-	-	10	-	-

	Working width mm	Brushes pressure	Power supply V/ traction	Voltage V/ Frequency Hz/ traction	Solution tank l	Recovery tank l	Working width up to m ² /h	Machine dimensions mm L x H x W	Machine weight kg (without batteries)
Media 22B	540	60	24/aut.	-	60	70	1890	1420 1085 590	126
Media 22E	540	45	-	220-230/50-60 aut.	60	70	1890	1420 1085 590	126
Media 24B	610	60	24/aut.	-	80	85	2135	1500 1085 650	140
Media 24E	610	45	-	220-230/50-60 aut.	80	85	2135	1500 1085 650	140
Media 26B	660	38	24/aut.	-	80	85	2310	1495 1125 710	168
Media 26E	660	38	-	220-230/50-60 aut.	80	85	2310	1495 1125 710	168
Media 28S	700	40	24/aut.	-	80	85	2450	1470 1125 785	197
Media 32B	830	40	24/aut.	-	80	85	2905	1495 1125 850	196
Media 32E	830	40	-	220-230/50-60 aut.	80	85	2905	1495 1125 850	196