



## **Tripla 85**

**A scrubbing machine  
with excellent operating autonomy.  
Interchangeable scrubbing head and 85 cm working width**



## **Tripla 85. Suitable for maintenance and thorough cleaning of medium to large-sized areas**

Tripla 85 is a very compact and manoeuvrable ride-on scrubbing machine suitable for non-professional personnel.

Thanks to the front non-marking, anti-skid drive wheel, absolute operating safety is ensured even on wet floors. A turning radius of just 180 cm also provides excellent manoeuvrability in narrow spaces. The machine has a large solution tank capacity of 145 litres and a working autonomy up to 4-5 hours on average. The tanks are made from shock and

corrosion resistant high-density polyethylene.

The heavy-duty motors ensure excellent performance and long endurance as well as low consumption rate thanks to the 36 Volt system. The driver's seat, accessible from either side of the machine, grants all round visibility to the operator. Tripla 85 has, as standard accessories, front and rear lights, horn and reverse beeper for absolute safe and efficient cleaning operations in any environment.





## Two versions of this machine are available, with scrubbing and scrubbing-sweeping head

With Tripla 85, a single machine body is enough to clean different types of floors thanks to the interchangeable scrubbing heads with different features according to the type of floor to be treated.

In this way great operating flexibility and easy maintenance and disinfection of the machine components that are more subject to wear are ensured.



The scrubbing-sweeping head has been designed for more thorough cleaning tasks, such as for heavily soiled floors. A roller system is also provided which not only scrubs the floor but also collects solid residues and conveys them into the special hopper which can be easily removed for emptying



The squeegee can follow all machine movements perfectly thus ensuring perfect drying without any mark being left behind. The operator can easily adjust the squeegee inclination by turning two screw knobs. The rubbers can be reused four times, one on each edge, and are easily removable without any tools thanks to special couplings



The battery compartment is easily accessible by lifting the recovery tank just under the seat. Thanks to the 90° opening angle, 36 Volt batteries and battery pack can be accommodated



On the instrument panel all main controls are easy to read and conveniently located for easy access from the driver's seat. Thanks to the smooth steering wheel and the 2450 mm turning diameter, the machine is extremely manoeuvrable even in narrow spaces, such as aisles, corridors and production lines. On Tripla 85 the tilting steering wheel can be adjusted for more comfortable driver's position

TECHNICAL DESCRIPTION		Tripla 85	Tripla 85S
Debris hopper capacity	l	-	10
Squeegee width	mm	1115	1115
Disc brushes Ø (No.)	mm	440 (2)	-
Cylindrical brushes Ø (No.)	mm	-	150x815 (2)
Brushes rpm	rpm	160	800
Brush motors (No.)	V/W	36/1400	36/700 (2)
Suction motor	V/W	36/560	36/560
Traction motor	V/W	36/900	36/900
Suction vacuum	mbar	160	160
Forward speed	km/h	0÷5	0÷5
Max gradient at full load	%	10%	10%
Turning diameter	mm	2450	2450
Batteries	V/Ah	36/320	36/320
Batteries weight	kg	331	331

	Working width mm	Brushes pressure	Power supply V/ Traction	Solution tank l	Recovery tank l	Working width up to m <sup>2</sup> /h	Machine dimensions mm L x H x W	Machine weight kg (without batteries)
Tripla 85	850	50	36/aut.	145	170	4250	1700 1355 890	315
Tripla 85S	850	50	36/aut.	145	170	4250	1700 1355 890	315