



**CA15**

**Very quiet commercial Vacuum Cleaner**



## **CA15. Specially suitable for environments where low-noise levels and user-friendliness are absolutely necessary: hotels, hospitals, retirement homes**

CA15 is a single-stage vacuum cleaner available in three versions: CA15, CA15S and CA15 SILENZIO. It is compact and extremely manoeuvrable thanks to

its small size. It features technical innovations ensuring effective vacuum cleaning.





## CA15. A 55 decibel noise level

CA15 SILENZIO operates at extremely low noise levels (55 decibel) and it is ideal for environments requiring silence during cleaning.



Exhaust air is filtered in order to retain any possible residue from the carbon brushes



Vacuum cleaner stability is also ensured by large rubberised non-marking wheels: fixed rear wheels and front castor wheels



Intake air is double filtered: firstly through the dual-layered paper filter bag and secondly through the cartridge filter (Optional: absolute H.E.P.A. filter)



Conveniently positioned button for suction hose coupling



To start the vacuum cleaner, just press gently on the start button with your foot. An additional socket for electric accessories (electric brush) is also available



## Innovative and appealing design


### Filters



Double-layered paper filter bag



Cartridge filter



Exhaust air filter



H.E.P.A. cartridge microfilter



H.E.P.A. exhaust air filter



Activated charcoal filter for exhaust air

## Available accessories

KIT DRY/A Ø32



KIT DRY/TA Ø37



TECHNICAL DESCRIPTION		CA15	CA15S	CA15 SILENZIO
Voltage	V/Hz	230-240/50-60	230-240/50-60	230-240/50-60
Motor (No.)	-	Ametek (1)	Ametek (1)	Ametek (1)
Stages (No.)	-	Single-stage	Single-stage	Single-stage
Rated power/Max power	W/HP	1200	800 direct	600 direct
Suction vacuum	mm/H <sub>2</sub> O-mBar-kPa	2900-290-29	2500-250-25	1900-190-19
Air flow	l/m <sup>3</sup> /h	3000-180	2800-168	1800-110
Total tank capacity	l	13	13	13
Usable tank capacity	l	6	6	6
Cable length	m	10	10	10

	Sound pressure level L <sub>PA</sub> db(A) (IEC 704/1)	Dust	Material	Kit of accessories	Standard filters	Filters on request	Optionals	Machine weight kg	Machine dimensions mm L x H x W
CA15	61	•	ppl	standard: KIT DRY/TA Ø37 Optional: KIT DRY/A Ø32	Paper bag Cartridge Exhaust air filter	H.E.P.A. cartridge microfilter H.E.P.A. filter for exhaust air Activated charcoal filter for exhaust air	Rear-mounted rack accessory storage Electrobrush	7	410 390 340
CA15S	57	•	ppl	standard: KIT DRY/TA Ø37 Optional: KIT DRY/A Ø32	Paper bag Cartridge Exhaust air filter	H.E.P.A. cartridge microfilter H.E.P.A. filter for exhaust air Activated charcoal filter for exhaust air	Rear-mounted rack accessory storage Electrobrush	7	410 390 340
CA15 SILENZIO	55	•	ppl	standard: KIT DRY/TA Ø37 Optional: KIT DRY/A Ø32	Paper bag Cartridge Exhaust air filter	H.E.P.A. cartridge microfilter H.E.P.A. filter for exhaust air Activated charcoal filter for exhaust air	Rear-mounted rack accessory storage Electrobrush	7	410 390 340